

**Please Read the
Supplement
Below and the
Manual on
Setting up
Page 11-33**

First

This is a seed unit for the Australian PAL version of the Apple II Video Overlay Card. And is on loan from Apple Computer Australia, each card is registered against your name, and may be recalled by Apple Computers at any time. Please make sure you control the movement of this card.

Australian Supplement to Apple II Video Overlay Card Owner's Guide

Wherever your owner's guide refers to NTSC, you should simply consider it to read PAL instead.

Setting PAL mode

Before using your computer with the Video Overlay Card installed, you must make sure the computer is set to PAL mode. Here are the steps for Apple IIgs and Apple IIe models:

Apple IIgs

1. Press and hold the Option key while you turn on the power switch. You'll see the following list of choices:
 - 1 = Enter the Control Panel.
 - 2 = Set system standards and 60 hertz.
 - 3 = Set system standards and 50 hertz.
 - 4 = Continue restarting the system.
2. Press 3 to set the monitor frequency to 50 hertz, which is required for PAL.

You need to do this only the first time you start up with the Video Overlay Card installed; the Apple IIgs will "remember" the setting after that.

Apple IIe

1. Start up your system by inserting the disk labelled *VideoMix for the Apple IIe* and then turning on the power. The PAL setting is done automatically.
2. Restart from your application disk using Open Apple-Control-Reset after that.

The Apple IIe will not "remember" the PAL setting after the power is turned off, so you'll need to start up with the *VideoMix* disk each time you want to use the Video Overlay Card.

Changes to the owner's guide

Here are some specific changes to the owner's guide:

- On page 55 you'll read about tint and colour adjustment. Your PAL version of the card cannot be adjusted for tint, which is available only under the NTSC system; however, the colour adjustment can be made as shown in the guide.
- The video output parameters given on page 73 are for NTSC only. If you wish to know the PAL parameters, please write to

Apple II Product Manager
Apple Computer Australia Pty. Ltd.
16 Rodborough Road
FRENCH FOREST
N.S.W. 2086

You should also mail the Tell Apple card at the back of the manual to the above address.

We at Apple Australia are pleased to be able to bring you the PAL version of the Apple II Video Overlay Card, and we hope you have many enjoyable hours on your Apple II computer.

Frank Revill